

GEM

CABLE SOLUTIONS

IEC
LOCK[™]



 SMARTER
GLOBAL
CONNECTIONS

‘Unique’ Female C13 & C19 connector

Guards against accidental disconnection of computers, servers and most electrical appliances.



Outside Broadcasting



Medical



Military



Maritime



**Suitable for use with
‘ANY STANDARD’
IEC inlet**

- **Protects appliances that are vulnerable to vibration**
- **Connector cannot be accidentally pulled or vibrated out of the inlet**

How it works!

IEC
LOCK[™]

- Push the connector into the standard IEC inlet and it is locked in position
- Connector **CANNOT** be accidentally pulled or vibrated out of the inlet
- Slide back the 'red' tab to release and remove connector from inlet



IEC Lock (C13) & (C19)

Technical Information

Cable Assemblies (C13)

- IEC LOCK (C13) to UK Non-rewireable Plug
- IEC LOCK (C13) to European Right Angled Schuko Plug
- IEC LOCK (C13) to European / American (C14) IEC Plug
- IEC LOCK (C13) to NEMA 5-15P (USA)
- IEC LOCK (C13) to Australian 3 Pin Plug
- IEC LOCK (C13) to Stripped End

Cable Lengths (C13)

300mm up to any length. Various cables lengths and assemblies are retained as stock items with further combinations being available for special order. Call our Sales Office for more information.

Cable Size (C13)

3 x 1.00mm² H05 VV-F,
3 x 16, 3 x 18awg SVT / SJT
Black, Orange, Blue & White

Test Information (C13)

Test Body: KEMA, UL, SAA
Test Standard: IEC/EN 60320-1

Patent Information (C13)

Patents: U.K. Patent
No. GB2383202B
International Patent application
No. PCT/GB02/05714

Cable Assemblies (C19)

- IEC LOCK (C19) to UK Non-rewireable Plug
- IEC LOCK (C19) to European Right angled Schuko Plug
- IEC LOCK (C19) to European / American (C20) IEC Plug
- IEC LOCK (C19) to NEMA 5-15P (USA)
- IEC LOCK (C19) to Australian 3 Pin Plug
- IEC LOCK (C19) to Stripped Ends

Cable Lengths (C19)

500mm up to any length. Various cables lengths and assemblies are retained as stock items with further combinations being available for special order. Call our Sales Office for more information.

Cable Size (C19)

3 x 1.5mm² H05 VV-F,
3 x 14awg SVT / SJT
Black (Orange, Blue and White available as special order)

Test Information (C19)

Test Body : KEMA, UL.
Test Standard : EN 60320:2001

Patent Information (C19)

Patents: U.K. Patent
No. GB2383202B
International Patent application
No. PCT/GB02/05714

For further details, please visit our new online catalogue or call our sales team.

Gem Cable Solutions
Unit 10, The Dencora Centre
Campfield Road
St. Albans
Hertfordshire
AL1 5HN

T. +44 (0) 1727 845 750

F. +44 (0) 1727 838 780

E. adc@gemcable.co.uk

IEC
LOCK™

